

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Red (PC-1M/3M/5M/7M/8K/17K,PCF-350) AUS

[File No.] 100318E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

#### Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required.(Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]	Mixture
[Chemical nature]	[Component parts]
Chemical name	Cas No.
	Concentration range(wt%)
Water	7732-18-5
Titanium dioxide	13463-67-7
1,2-Ethenediol	107-21-1
Ethanol	64-17-5
1-Propanol	71-23-8
2-Propanol	67-63-0

### 4. First aid measures

[Description of first aid measures]

- |              |   |
|--------------|---|
| Eye contact  | : Flush eyes with plenty of water for at least 15 minutes.<br>: Take off the contact lens if possible<br>: Consult medical advice depending on the symptoms.  |
| Skin contact | : Wash skin.<br>: Consult medical advice depending on the symptoms.<br>: Thoroughly clean and dry contaminated clothing and shoes before reuse.   |
| Ingestion    | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.<br>: Consult medical advice depending on the symptoms. |
| Inhalation   | : Due to its low vapor pressure inhalation is unlikely at room temperature.<br>: If not feeling well, move to an area of fresh air and rest.<br>: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m3	(TWA)10mg/m3
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m3
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Red
State	: Liquid
Odor	: slight odor
pH	: about 8.4
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	No information available.
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
Ethanol	: Category 2A
1,2-Ethandiol	: Category 2B
Respiratory sensitizer	No information available.

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Orange (PC-1M/3M/5M/7M/8K) AUS

[File No.] 100323E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram	:	
-----------	---	---

Signal Word : Danger

Hazard Statement : Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

## Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required.(Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easys to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

## 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Gas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	< 10
Ethanol	64-17-5	< 10
1-Propanol	71-23-8	< 1
2-Propanol	67-63-0	< 1

## 4. First aid measures

[Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.



## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m <sup>3</sup>
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Orange
State	: Liquid
Odor	: slight odor
pH	: about 8.6
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	No information available.
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
Ethanol	: Category 2A
1,2-Ethanediol	: Category 2B
Respiratory sensitizer	No information available.

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Yellow (PC-1M/3M/5M/7M/8K/17K,PCF-350) AUS

[File No.] 100310E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

#### Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
1,2-Ethanediol	107-21-1	< 10
Ethanol	64-17-5	< 10
Titanium dioxide	13463-67-7	< 10
1-Propanol	71-23-8	< 1
2-Propanol	67-63-0	< 1

### 4. First aid measures

[Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m <sup>3</sup>
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Yellow
State	: Liquid
Odor	: slight odor
pH	: about 8.4
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
Ethanol	: Category 2A
1,2-Ethanediol	: Category 2B
Respiratory sensitizer	
No information available.	



## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Light green (PC-1M/3M/5M/7M/8K) AUS

[File No.] 100311E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

## Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

## [Other hazards]

No information available.

## 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	< 10
Ethanol	64-17-5	< 10
1-Propanol	71-23-8	< 1
2-Propanol	67-63-0	< 1

## 4. First aid measures

## [Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

## [Most important symptoms and effects, both acute and delayed]

No information available.

## [Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m <sup>3</sup>
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Light green
State	: Liquid
Odor	: slight odor
pH	: about 8.1
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
Ethanol	: Category 2A
1,2-Ethandiol	: Category 2B
Respiratory sensitizer	
No information available.	

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Green (PC-1M/3M/5M/7M/8K/17K,PCF-350) AUS

[File No.] 100309E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram : 

Signal Word : Danger

Hazard Statement : Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

## Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

## [Other hazards]

No information available.

## 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
1,2-Ethanediol	107-21-1	< 10
Ethanol	64-17-5	< 10
Titanium dioxide	13463-67-7	< 10
1-Propanol	71-23-8	< 1
2-Propanol	67-63-0	< 1

## 4. First aid measures

## [Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

## [Most important symptoms and effects, both acute and delayed]

No information available.

## [Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m <sup>3</sup>
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Green
State	: Liquid
Odor	: slight odor
pH	: about 8.5
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	No information available.
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
Ethanol	: Category 2A
1,2-Ethanediol	: Category 2B
Respiratory sensitizer	No information available.

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Light blue (PC-1M/3M/5M/7M/8K/17K,PCF-350) AUS

[File No.] 100316E

[Date of issue] 2020/02/15

### [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

### [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

### [Classification of the substance or mixture]

#### PHYSICO-CHEMICAL HAZARDS

Not applicable.

#### HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

#### ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

### [Label elements]

Pictogram : 

Signal Word : Danger

Hazard Statement : Causes serious eye irritation.  
: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

#### Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required.(Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Gas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	< 10
Ethanol	64-17-5	< 10
1-Propanol	71-23-8	< 1
2-Propanol	67-63-0	< 1

### 4. First aid measures

[Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.



## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m <sup>3</sup>
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Light blue
State	: Liquid
Odor	: slight odor
pH	: about 8.3
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
Ethanol	: Category 2A
1,2-Ethanediol	: Category 2B
Respiratory sensitizer	
No information available.	

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Blue (PC-3M/5M/7M/8K/17K) AUS

[File No.] 100424E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram	:	
-----------	---	---

Signal Word : Danger

Hazard Statement : Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

## Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

## [Other hazards]

No information available.

## 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]	Mixture
[Chemical nature]	[Component parts] Ink
Chemical name	Cas No. Concentration range(wt%)
Water	7732-18-5 50-80
Titanium dioxide	13463-67-7 10-30
1,2-Ethanediol	107-21-1 < 10
2-Propanol	67-63-0 < 10
Ethanol	64-17-5 < 10
1-Propanol	71-23-8 < 1

## 4. First aid measures

## [Description of first aid measures]

- |              |   |
|--------------|---|
| Eye contact  | : Flush eyes with plenty of water for at least 15 minutes.<br>: Take off the contact lens if possible<br>: Consult medical advice depending on the symptoms.  |
| Skin contact | : Wash skin.<br>: Consult medical advice depending on the symptoms.<br>: Thoroughly clean and dry contaminated clothing and shoes before reuse.   |
| Ingestion    | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.<br>: Consult medical advice depending on the symptoms. |
| Inhalation   | : Due to its low vapor pressure inhalation is unlikely at room temperature.<br>: If not feeling well, move to an area of fresh air and rest.<br>: Consult medical advice depending on the symptoms. |

## [Most important symptoms and effects, both acute and delayed]

No information available.

## [Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m3	(TWA)10mg/m3
2-Propanol	-	(TWA)200ppm (STEL)400ppm
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m3

[Exposure controls]	
Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Blue
State	: Liquid
Odor	: slight odor
pH	: about 8.4
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	No information available.
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
2-Propanol	: Category 2A
Ethanol	: Category 2A
1,2-Ethanediol	: Category 2B



## Respiratory sensitizer

No information available.

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

2-Propanol : Category1

1,2-Ethenediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

2-Propanol : Category2

Ethanol : Category1

1,2-Ethenediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

#### 14. Transport information

[Environmental hazards]	No information available.
[HS Code]	960820
[Special precautions for user]	Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

#### 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys - Part 3"

#### 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Violet (PC-1M/3M/5M/7M/8K) AUS

[File No.] 100422E

[Date of issue] 2020/02/15

### [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

### [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

### [Classification of the substance or mixture]

#### PHYSICO-CHEMICAL HAZARDS

Not applicable.

#### HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

#### ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

### [Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye irritation.  
: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

#### Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

#### [Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
1,2-Ethanediol	107-21-1	< 10
Ethanol	64-17-5	< 10
Titanium dioxide	13463-67-7	< 10
1-Propanol	71-23-8	< 1
2-Propanol	67-63-0	< 1
Polyethylene glycol nonylphenyl ether	9016-45-9	< 1

### 4. First aid measures

#### [Description of first aid measures]

- Eye contact** : Flush eyes with plenty of water for at least 15 minutes.  
 : Take off the contact lens if possible  
 : Consult medical advice depending on the symptoms.
- Skin contact** : Wash skin.  
 : Consult medical advice depending on the symptoms.  
 : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion** : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.  
 : Consult medical advice depending on the symptoms.
- Inhalation** : Due to its low vapor pressure inhalation is unlikely at room temperature.  
 : If not feeling well, move to an area of fresh air and rest.  
 : Consult medical advice depending on the symptoms.

#### [Most important symptoms and effects, both acute and delayed]

No information available.

#### [Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m <sup>3</sup>

[Exposure controls]	
Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Violet
State	: Liquid
Odor	: slight odor
pH	: about 8.1
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
Ethanol	: Category 2A
1,2-Ethanediol	: Category 2B
Respiratory sensitizer	
No information available.	

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

Polyethylene glycol nonylphenyl ether : Category2

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Pink (PC-1M/3M/5M/7M/8K/17K,PCF-350) AUS

[File No.] 100320E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye irritation.  
: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

#### Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required.(Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

#### [Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Gas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	< 10
Ethanol	64-17-5	< 10
1-Propanol	71-23-8	< 1
2-Propanol	67-63-0	< 1
Polyethylene glycol nonylphenyl ether	9016-45-9	< 1

### 4. First aid measures

#### [Description of first aid measures]

- Eye contact**
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact**
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion**
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation**
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

#### [Most important symptoms and effects, both acute and delayed]

No information available.

#### [Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m <sup>3</sup>

[Exposure controls]	
Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Pink
State	: Liquid
Odor	: slight odor
pH	: about8.2
Boiling point	: No information available.[Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
Ethanol	: Category2A
1,2-Ethanediol	: Category2B
Respiratory sensitizer	
No information available.	

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

Polyethylene glycol nonylphenyl ether : Category2

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Brown (PC-1M/3M/5M/7M/8K) AUS

[File No.] 100319E

[Date of issue] 2020/02/15

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

[Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

### PHYSICO-CHEMICAL HAZARDS

Not applicable.

### HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

### ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word : Danger

Hazard Statement : Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

#### Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	< 10
Ethanol	64-17-5	< 10
1-Propanol	71-23-8	< 1
2-Propanol	67-63-0	< 1

### 4. First aid measures

[Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.



## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m <sup>3</sup>
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Brown
State	: Liquid
Odor	: slight odor
pH	: about 8.2
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	No information available.
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
Ethanol	: Category 2A
1,2-Ethandiol	: Category 2B
Respiratory sensitizer	No information available.

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys - Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Beige (PC-1M/3M/5M/8K) AUS

[File No.] 100372E

[Date of issue] 2020/01/28

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram



Signal Word : Danger

Hazard Statement : Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

#### Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

#### [Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethenediol	107-21-1	< 10
2-Propanol	67-63-0	< 10
Ethanol	64-17-5	< 10
1-Propanol	71-23-8	< 1

### 4. First aid measures

#### [Description of first aid measures]

- Eye contact**
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact**
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion**
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation**
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

#### [Most important symptoms and effects, both acute and delayed]

No information available.

#### [Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m3	(TWA)10mg/m3
2-Propanol	-	(TWA)200ppm (STEL)400ppm
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m3

[Exposure controls]	
Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Beige
State	: Liquid
Odor	: No information available.
pH	: about 8.0
Boiling point	: No information available.[Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	No information available.
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category 2B
2-Propanol	: Category 2A
Ethanol	: Category 2A
1,2-Ethandiol	: Category 2B



## Respiratory sensitizer

No information available.

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

2-Propanol : Category1

1,2-Ethenediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

2-Propanol : Category2

Ethanol : Category1

1,2-Ethenediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

#### 14. Transport information

[Environmental hazards]	No information available.
[HS Code]	960820
[Special precautions for user]	Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

#### 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

#### 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA White (PC-1M/3M/5M/7M/8K/17K,PCF-350) AUS

[File No.] 100321E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Category4

## [Label elements]

Pictogram : 

Signal Word : Danger

Hazard Statement : Causes serious eye irritation.  
: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure
- : May cause long lasting effect to aquatic life

#### Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Avoid release to the environment.
- : Use personal protective equipment as required.(Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easys to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

#### [Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]	Mixture
[Chemical nature]	[Component parts] Ink
Chemical name	Cas No. Concentration range(wt%)
Water	7732-18-5 50-80
Titanium dioxide	13463-67-7 10-30
1,2-Ethanediol	107-21-1 < 10
2-Propanol	67-63-0 < 10
Ethanol	64-17-5 < 10
1-Propanol	71-23-8 < 1

### 4. First aid measures

#### [Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

#### [Most important symptoms and effects, both acute and delayed]

No information available.

#### [Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m3	(TWA)10mg/m3
2-Propanol	-	(TWA)200ppm (STEL)400ppm
Ethanol	-	(TWA)1000ppm
1,2-Ethanediol	-	(STEL)100mg/m3

## [Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

## [Information on basic physical and chemical properties]

Color	: White
State	: Liquid
Odor	: slight odor
pH	: about 8.0
Boiling point	: No information available.[Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.3
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

## [Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	

## Serious eye damage/Eye Irritation

Titanium dioxide	: Category2B
2-Propanol	: Category2A
Ethanol	: Category2A
1,2-Ethanediol	: Category2B

## Respiratory sensitizer

No information available.

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol	: Category1B
---------	--------------

## Carcinogenicity

1-Propanol	: Category2
------------	-------------

## Toxic to reproduction

2-Propanol	: Category2
Ethanol	: Category1A
1-Propanol	: Category2

## Specific target organ systemic toxicity(single exposure)

Titanium dioxide	: Category3
2-Propanol	: Category1
1,2-Ethanediol	: Category1

## Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide	: Category1
2-Propanol	: Category2
Ethanol	: Category1
1,2-Ethanediol	: Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

Titanium dioxide	: Category4
------------------	-------------

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

### 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

### 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

### 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

### 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



# SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Grey (PC-3M/5M/7M/8K) AUS

[File No.] 100417E

[Date of issue] 2020/01/28

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

[Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

### PHYSICO-CHEMICAL HAZARDS

Not applicable.

### HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

### ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word : Danger

Hazard Statement : Causes serious eye irritation.

: May cause genetic defects

- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required.(Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]	Mixture
[Chemical nature]	[Component parts]
Chemical name	Cas No.
	Concentration range(wt%)
Water	7732-18-5
Titanium dioxide	13463-67-7
1,2-Ethanediol	107-21-1
2-Propanol	67-63-0
Ethanol	64-17-5
1-Propanol	71-23-8
Carbon black	1333-86-4

### 4. First aid measures

[Description of first aid measures]

- Eye contact
  - : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
  - : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
  - : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
  - : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	(TWA)15mg/m <sup>3</sup>	(TWA)10mg/m <sup>3</sup>
2-Propanol	-	(TWA)200ppm (STEL)400ppm
Ethanol	-	(TWA)1000ppm
1,2-Ethandiol	-	(STEL)100mg/m <sup>3</sup>

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Grey
State	: Liquid
Odor	: slight odor
pH	: about 8.5
Boiling point	: No information available. [Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density (air=1)	: No information available.
Density	: about 1.3
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity (oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity (inhalation: vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	

Serious eye damage/Eye Irritation

Titanium dioxide	: Category2B
2-Propanol	: Category2A
Ethanol	: Category2A
1,2-Ethanediol	: Category2B

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol	: Category1B
---------	--------------

Carcinogenicity

Carbon black	: Category2
1-Propanol	: Category2

Toxic to reproduction

2-Propanol	: Category2
Ethanol	: Category1A
1-Propanol	: Category2

Specific target organ systemic toxicity(single exposure)

Titanium dioxide	: Category3
2-Propanol	: Category1
1,2-Ethanediol	: Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide	: Category1
2-Propanol	: Category2
Ethanol	: Category1
1,2-Ethanediol	: Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

### 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

### 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

### 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

### 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Black (PC-3M/5M/7M/8K/17K) AUS

[File No.] 100420E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Not classified
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Classification not possible

## [Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: May cause genetic defects  
: Suspected of causing cancer

- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

## Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF exposed or concerned: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

## [Other hazards]

No information available.

## 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
1,2-Ethanediol	107-21-1	< 10
2-Propanol	67-63-0	< 10
Carbon black	1333-86-4	< 10
Ethanol	64-17-5	< 10
1-Propanol	71-23-8	< 1

## 4. First aid measures

## [Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

## [Most important symptoms and effects, both acute and delayed]

No information available.

## [Indication of any immediate medical attention and special treatment needed]

No information available.



## 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

## 7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

## 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Carbon black	–	(TWA)3.5mg/m <sup>3</sup>
2-Propanol	–	(TWA)200ppm (STEL)400ppm
Ethanol	–	(TWA)1000ppm
1,2-Ethanediol	–	(STEL)100mg/m <sup>3</sup>

[Exposure controls]	
Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Black
State	: Liquid
Odor	: slight odor
pH	: about 8.5
Boiling point	: No information available.[Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

No information available.

Respiratory sensitizer

No information available.

## Skin sensitizer

No information available.

## Germ cell mutagenicity

Ethanol : Category1B

## Carcinogenicity

Carbon black : Category2

1-Propanol : Category2

## Toxic to reproduction

2-Propanol : Category2

Ethanol : Category1A

1-Propanol : Category2

## Specific target organ systemic toxicity(single exposure)

2-Propanol : Category1

1,2-Ethanediol : Category1

## Specific target organ systemic toxicity(repeated exposure)

Carbon black : Category1

2-Propanol : Category2

Ethanol : Category1

1,2-Ethanediol : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys – Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Silver (PC-5M/8K/17K) AUS

[File No.] 100419E

[Date of issue] 2020/02/15

## [Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

## [Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

## [Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Not classified
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Classification not possible
Carcinogenicity	: Classification not possible
Toxic to reproduction	: Classification not possible
Specific target organ systemic toxicity(single exposure)	: Classification not possible
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Classification not possible

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Classification not possible
Hazard to the Aquatic Environment (Chronic)	: Not classified

## [Label elements]

Pictogram



Signal Word : Danger

Hazard Statement : Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

- : Do not breathe dust/vapours etc..
  - : Do not eat, drink or smoke when using this product.
  - : Get medical advice/attention if you feel unwell.
  - : Dispose in accordance with all current regulations and standards.
- [Other hazards] No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Aluminum (as paste)	7429-90-5	< 10
Glycerine	56-81-5	< 10
Propanol, 1-methoxy-	107-98-2	< 10

### 4. First aid measures

[Description of first aid measures]

- Eye contact
- : Flush eyes with plenty of water for at least 15 minutes.
  - : Take off the contact lens if possible
  - : Consult medical advice depending on the symptoms.
- Skin contact
- : Wash skin.
  - : Consult medical advice depending on the symptoms.
  - : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion
- : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
  - : Consult medical advice depending on the symptoms.
- Inhalation
- : Due to its low vapor pressure inhalation is unlikely at room temperature.
  - : If not feeling well, move to an area of fresh air and rest.
  - : Consult medical advice depending on the symptoms.

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

### 5. Firefighting measures

[Extinguishing media]

Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

## 6. Accidental release measures

### [Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in the leeward.

### [Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

### [Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

### [Reference to other sections]

No information available.

## 7. Handling and storage

### [Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

### [Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0-40°C

### [Specific end use(s)]

No information available.

## 8. Exposure controls/personal protection

### [Control parameters]

Chemical name	OSHA	ACGIH
Aluminum (as paste)	-	(TWA)10ppm
Glycerine	-	(TWA)10mg/m <sup>3</sup>
Propanol, 1-methoxy-	-	(TWA)100ppm (STEL)150ppm

### [Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

### [Information on basic physical and chemical properties]

Color	: Silver
State	: Liquid
Odor	: slight odor
pH	: about 8.5
Boiling point	: No information available.[Water 100.0°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.[Aluminum (as paste) 590.0°C]
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]	
Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	No information available.
Serious eye damage/Eye Irritation	No information available.
Respiratory sensitizer	No information available.
Skin sensitizer	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.



## Toxic to reproduction

No information available.

## Specific target organ systemic toxicity(single exposure)

No information available.

## Specific target organ systemic toxicity(repeated exposure)

Aluminum (as paste) : Category1

## Aspiration hazard

No information available.

## Hazard to the Aquatic Environment (Acute)

No information available.

## Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys - Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## SAFETY DATA SHEET

## 1. Product and Company Identification

[Product name] uni POSCA Gold (PC-5M/8K/17K) AUS

[File No.] 100418E

[Date of issue] 2020/02/15

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281      telefax number: 03-3450-0363  
(Only office hour are available.)

[Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671)

Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: 03 9646 5630  
(Only office hour are available.)

Emergency phone number: 03 9646 5630

## 2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

## PHYSICO-CHEMICAL HAZARDS

Not applicable.

## HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Not classified
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Classification not possible
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Classification not possible
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Classification not possible

## ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Classification not possible
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word : Danger

Hazard Statement : May cause genetic defects

: May damage fertility or the unborn child

Precautionary Statement	: Causes damage to organs through prolonged or repeated exposure
	: Do not breathe dust/vapours etc..
	: Do not eat, drink or smoke when using this product.
	: Use personal protective equipment as required. (Refer to Section 8)
	: Get medical advice/attention if you feel unwell.
	: IF exposed or concerned: Get medical advice/attention.
[Other hazards]	No information available.

### 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]	Mixture	
[Chemical nature]	Ink	
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Aluminum (as paste)	7429-90-5	< 10
Glycerine	56-81-5	< 10
Propanol, 1-methoxy-	107-98-2	< 10
Ethanol	64-17-5	< 1

### 4. First aid measures

[Description of first aid measures]	
Eye contact	: Flush eyes with plenty of water for at least 15 minutes. : Take off the contact lens if possible : Consult medical advice depending on the symptoms.
Skin contact	: Wash skin. : Consult medical advice depending on the symptoms. : Thoroughly clean and dry contaminated clothing and shoes before reuse.
Ingestion	: Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. : Consult medical advice depending on the symptoms.
Inhalation	: Due to its low vapor pressure inhalation is unlikely at room temperature. : If not feeling well, move to an area of fresh air and rest. : Consult medical advice depending on the symptoms.
[Most important symptoms and effects, both acute and delayed]	No information available.
[Indication of any immediate medical attention and special treatment needed]	No information available.

### 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

## 6. Accidental release measures

### [Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in the leeward.

### [Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

### [Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

### [Reference to other sections]

No information available.

## 7. Handling and storage

### [Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

### [Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

### [Specific end use(s)]

No information available.

## 8. Exposure controls/personal protection

### [Control parameters]

Chemical name	OSHA	ACGIH
Aluminum (as paste)	–	(TWA)10ppm
Glycerine	–	(TWA)10mg/m <sup>3</sup>
Propanol, 1-methoxy-	–	(TWA)100ppm (STEL)150ppm

### [Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

### [Information on basic physical and chemical properties]

Color	: Gold
State	: Liquid
Odor	: No information available.
pH	: about8.3

Boiling point	: No information available.[Water 100.0°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

## 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature and pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

## 11. Toxicological information

[Information on toxicological effects]	
Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
No information available.	
Respiratory sensitizer	
No information available.	
Skin sensitizer	
No information available.	
Germ cell mutagenicity	
Ethanol	: Category1B
Carcinogenicity	
No information available.	

Toxic to reproduction

Ethanol : Category1A

Specific target organ systemic toxicity(single exposure)

No information available.

Specific target organ systemic toxicity(repeated exposure)

Aluminum (as paste) : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

## 12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects]

No information available.

## 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

## 14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

## 15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with "ISO 8124-3 :2010 Safety of Toys - Part 3"

## 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.